

### Stage 3 Obstetrical Hemorrhage

Cumulative Blood loss >1500cc – OR – >2 units PRBCs given – OR- unstable patient – OR- Clinical suspicion for DIC

#### Primary Nurse

Communication	Action
<ul style="list-style-type: none"> <li>○ Primary/Covering Physician (Provider)</li> <li>○ Charge Nurse</li> <li>○ Anesthesia</li> </ul>	<ul style="list-style-type: none"> <li>○ Place Foley Catheter and VDB</li> <li>○ Circulate in OR</li> </ul>

#### Charge Nurse

Communication	Action
<ul style="list-style-type: none"> <li>○ Obtain a nurse to assist Anesthesia</li> <li>○ Coordinate with blood bank</li> <li>○ Direct all Nursing efforts</li> </ul>	

#### Physician/Midwife

Communication	Action
<ul style="list-style-type: none"> <li>○ Back Up Obstetrical Attending to patient</li> <li>○ Confer with Anesthesia</li> <li>○ Patient in OR or CCU per clinical needs</li> <li>○ Notify Transfusion Medicine</li> <li>○ Notify Interventional Radiology/CCU</li> </ul>	<ul style="list-style-type: none"> <li>○ Evaluate Patient</li> <li>○ Consider Bakri, Packing or Laparotomy</li> <li>○ Activate OB Massive Transfusion Protocol</li> <li>○ Move to OR Suite if bleeding not resolving</li> </ul>

#### Anesthesia

Communication	Action
<ul style="list-style-type: none"> <li>○ Ensure back up anesthesia in room</li> </ul>	<ul style="list-style-type: none"> <li>○ Vasopressor support as needed</li> <li>○ Manage blood product administration</li> <li>○ Calcium/Electrolyte replacement</li> <li>○ ABG and Arterial Line as needed</li> </ul>